

Energy Storage Battery



Reserve Battery

Motorcycle Battery

Motive Battery-Deep Cycle Type-TNE Series

TNE12-100

(12V 100Ah)


GENERAL FEATURES

- Oxygen recombination technology:Maintenance Free VRLA Battery, no need to add water or acid
- The patent grid alloy:less gassing, low self-discharge, excellent corrosion resistence performance
- Special paste formula: addictives are added to improve deep discharge,long cycle life
- High quality AGM separator: extend cycle life and prevent micro short circuit
- The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)


Dimension

Unit:mm

Length $260\pm2mm$ /10.24inchWidth $168\pm2mm$ /6.61inchContainer Height $210\pm2mm$ /8.27inchTotal Height $210\pm2mm$ /8.27inch









ISO9001







ISO14001 OHSAS18001

Application

- Electric tools or toys
- Electric Bicycle/Tricycle
- Golf trolleys and golf cart
- · Patrol car
- Electric Sight-seeing Tour Bus
- Sweeper
- Wheelchairs
- Lawn mowers
- Illumination light


Terminal

Unit:mm

Terminal Type:

Weight

26kg 57.32lbs





This document is subject to change without prior notification

nneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd. www.tiannenggroup.com Version: V1.2 Release D

Motive Battery	Energy Storage Batter






TNE12-100


Specificaio	ı		
Nominal Volta	ige	12V	
Nominal Capacity		100Ah	
Rated	C20(1.80V/cell)	100Ah	
Capacity	C10(1.80V/cell)	90Ah	
(25°C)	C5(1.75V/cell)	85Ah	
Container Material		ABS (Flame-retardant ABSUL94-V0 is optional)	
Operating	Discharge	-20 ~ +50°C	
Temperature	Charge	0 ~ +40°C	
Range	Storage	-15 ~ +40°C	
	40°C / 104°F	106%	
Capacity Effected by	25°C / 77°F	100%	
Temperature	0°C / 32°F	86%	
·	-10°C / 14°F	65%	
Charge Method		Please refer to the "Charge Characteristics (25°C)" below	
Monthly Self Discharge		<3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher	

Performance Curve

Discharge Characteristics (25°C)




Cycle Lifes With Depth Of Discharge



Charge Characteristics (25℃)



Self-Discharge Characteristics



Tianneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd. www.tiannenggroup.com Version: V1.2 Release Date: 2018.1.1