Motive	Pattoni
Motive	Dattery





Reserve Battery

Motorcycle Battery

Motive Battery-Deep Cycle Type-TNE Series

TNE12-26

(12V 26Ah)

GENERAL FEATURES


- Oxygen recombination technology:Maintenance Free VRLA Battery, no need to add water or acid
- The patent grid alloy:less gassing, low self-discharge, excellent corrosion resistence performance
- Special paste formula: addictives are added to improve deep discharge,long cycle life
- High quality AGM separator: extend cycle life and prevent micro short circuit
- The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)

Dimension

Unit:mm

189±2mm / 7.44inch Length Width 100±2mm / 3.94inch Container Height 130±2mm / 5.12inch **Total Height** 130±2mm / 5.12inch
















Application

- Electric tools or toys
- Electric Bicycle/Tricycle
- Golf trolleys and golf cart
- Patrol car
- Electric Sight-seeing Tour Bus
- Sweeper
- Wheelchairs
- Lawn mowers
- Illumination light



Unit:mm Terminal Type: Ι9 Weight

7kg 15.45lbs



This document is subject to change without prior notification

Motive Battery Energy	y Storage Battery
-----------------------	-------------------






TNE12-26


Specificaion		
Nominal Voltage		12V
Nominal Capacity		26Ah
Rated Capacity (25°C)	C20(1.80V/cell)	26Ah
	C10(1.80V/cell)	25Ah
	C5(1.75V/cell)	23Ah
Container Material		ABS (Flame-retardant ABSUL94-V0 is optional)
Operating Temperature Range	Discharge	-20 ~ +50°C
	Charge	0 ~ +40°C
	Storage	-15 ~ +40°C
Capacity Effected by Temperature	40°C / 104°F	106%
	25°C / 77°F	100%
	0°C / 32°F	86%
	-10°C / 14°F	65%
Charge Method		Please refer to the "Charge Characteristics (25°C)" below
Monthly Self Discharge		<3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher

Performance Curve

Discharge Characteristics (25°C)




Cycle Lifes With Depth Of Discharge



Charge Characteristics (25°C)



Self-Discharge Characteristics



ianneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd.