

■ Motive Battery

□ Energy Storage Battery

□ Reserve Battery

□ Motorcycle Battery



Motive Battery-Deep Cycle Type-TNE Series

TNE12-58

(12V 58Ah)

GENERAL FEATURES

- ◆ Oxygen recombination technology: Maintenance Free VRLA Battery, no need to add water or acid
- ◆ The patent grid alloy: less gassing, low self-discharge, excellent corrosion resistance performance
- ◆ Special paste formula: additives are added to improve deep discharge, long cycle life
- ◆ High quality AGM separator: extend cycle life and prevent micro short circuit
- ◆ The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ◆ ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)




Application

- ◆ Electric tools or toys
- ◆ Electric Bicycle/Tricycle
- ◆ Golf trolleys and golf cart
- ◆ Patrol car
- ◆ Electric Sight-seeing Tour Bus
- ◆ Sweeper
- ◆ Wheelchairs
- ◆ Lawn mowers
- ◆ Illumination light

Dimension

Unit:mm

Length	224±2mm / 8.82inch
Width	135±2mm / 5.31inch
Container Height	174±2mm / 6.85inch
Total Height	178±2mm / 7.01inch





Terminal

Unit:mm

Terminal Type: I1

Weight

14.6kg 32.19lbs



ISO9001 ISO14001 OHSAS18001

This document is subject to change without prior notification

- Motive Battery
- Energy Storage Battery
- Reserve Battery
- Motorcycle Battery




TNE12-58

Specificaion


Nominal Voltage	12V	
Nominal Capacity	58Ah	
Rated Capacity (25°C)	C20(1.80V/cell)	58Ah
	C10(1.80V/cell)	56Ah
	C5(1.75V/cell)	53Ah
	C3(1.75V/cell)	50Ah
	C2(1.75V/cell)	48Ah
Container Material	ABS (Flame-retardant ABSUL94-V0 is optional)	
Operating Temperature Range	Discharge	-20 ~ +50°C
	Charge	0 ~ +40°C
	Storage	-15 ~ +40°C
Capacity Effected by Temperature	40°C / 104°F	106%
	25°C / 77°F	100%
	0°C / 32°F	86%
	-10°C / 14°F	65%
Charge Method	Please refer to the "Charge Characteristics (25°C)" below	
Monthly Self Discharge	<3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher	

Performance Curve


Discharge Characteristics (25°C)



Charge Characteristics (25°C)



Cycle Lives With Depth Of Discharge



Self-Discharge Characteristics

