Motive Battery

Energy Storage Battery



■ Reserve Battery

Motorcycle Battery

Motive Battery-Deep Cycle Type-TNE Series

TNE16-25

(16V 25Ah)

GENERAL FEATURES

- Oxygen recombination technology:Maintenance Free VRLA Battery, no need to add water or acid
- The patent grid alloy:less gassing, low self-discharge, excellent corrosion resistence performance
- Special paste formula: addictives are added to improve deep discharge,long cycle life
- High quality AGM separator: extend cycle life and prevent micro short circuit
- The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)

Dimension

Unit:mm

Length 250 ± 2 mm/9.84inchWidth 100 ± 2 mm/3.94inchContainer Height 128 ± 2 mm/5.04inchTotal Height 132 ± 2 mm/5.2inch











Application


- Electric tools or toys
- Electric Bicycle/Tricycle
- Golf trolleys and golf cart
- Patrol car
- Electric Sight-seeing Tour Bus
- Sweeper
- Wheelchairs
- Lawn mowers
- Illumination light



Terminal Type: I9

Weight

9.5kg 20.94lbs



This document is subject to change without prior notification

Changing Timeira Langet & Francis Co.

www.tianneng

Version:

V1.1

Release Date:

2017.3.1

Motive Battery

Energy Storage Battery




■ Reserve Battery

■ Motorcycle Battery


TNE16-25


Specificaion		
Nominal Voltage		16V
Nominal Capacity		25Ah
Rated Capacity (25°C)	C20(1.80V/cell)	25Ah
	C10(1.80V/cell)	24Ah
	C5(1.75V/cell)	22Ah
Container Material		ABS (Flame-retardant ABSUL94-V0 is optional)
Operating Temperature Range	Discharge	-20 ~ +50°C
	Charge	0 ~ +40°C
	Storage	-15 ~ +40°C
Capacity Effected by Temperature	40°C / 104°F	106%
	25°C / 77°F	100%
	0°C / 32°F	86%
	-10°C / 14°F	65%
Charge Method		Please refer to the "Charge Characteristics (25°C)" below
Monthly Self Discharge		<3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher

Performance Curve



Discharge Time







Tianneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd. www.tiannenggroup.com Versio

@2016 All right reserved by Tianneng Group; Trademarks and logos are the property of Tianneng Group and its affiliates No.18th, Baoqiao Road, Huar