


Energy Storage Battery



Motorcycle Battery



Motive Battery-Deep Cycle Type-TNE Series

TNE6-190

(6V 187Ah)


GENERAL FEATURES


- Oxygen recombination technology:Maintenance Free VRLA Battery, no need to add water or acid
- The patent grid alloy:less gassing, low self-discharge, excellent corrosion resistence performance
- Special paste formula: addictives are added to improve deep discharge,long cycle life
- High quality AGM separator: extend cycle life and prevent micro short circuit
- The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)

Dimension

Unit:mm

260±2mm / 10.24inch Length Width 180±2mm / 7.09inch Container Height 247±2mm / 9.72inch **Total Height** 252±2mm / 9.92inch









v: 💠 🧿





ISO14001 OHSAS18001


Application

- Electric tools or toys
- ◆ Electric Bicycle/Tricycle
- Golf trolleys and golf cart
- Patrol car
- Electric Sight-seeing Tour Bus
- Sweeper
- Wheelchairs
- Lawn mowers
- Illumination light

Terminal

Unit:mm Terminal Type:

I7



Weight

66.14lbs 28kg

This document is subject to change without prior notification

Motive Battery	Energy Storage Battery	

■ Motorcycle Battery

■ Reserve Battery




TNE6-190


Specificaio	n		
Nominal Voltage		6V	
Nominal Capacity		187Ah	
Rated	C20(1.80V/cell)	187Ah	
Capacity (25°C)	C10(1.80V/cell)	170Ah	
	C5(1.75V/cell)	160Ah	
Container Ma	ontainer Material ABS (Flame-retardant ABSUL94-V0 is optional)		
Operating Temperature Range	Discharge	-20 ~ +50°C	
	Charge	0 ~ +40°C	
	Storage	-15 ~ +40°C	
Capacity Effected by Temperature	40°C / 104°F	106%	
	25°C / 77°F	100%	
	0°C / 32°F	86%	
	-10°C / 14°F	65%	
Charge Method		Please refer to the "Charge Characteristics (25°C) " below	
Monthly Self Discharge		<3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher	

Performance Curve


Discharge Characteristics (25°C)




Cycle Lifes With Depth Of Discharge



Charge Characteristics (25℃)



Self-Discharge Characteristics



Tianneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd.

www.tiannenggroup.com

Version:

Release Date

2017.3.1