Motive Battery

Energy Storage Battery



Reserve Battery

Motorcycle Battery

Motive Battery-Deep Cycle Type-TNE Series

TNE8-250

(8V 250Ah)


GENERAL FEATURES


- Oxygen recombination technology:Maintenance Free VRLA Battery, no need to add water or acid
- The patent grid alloy:less gassing, low self-discharge, excellent corrosion resistence performance
- Special paste formula: addictives are added to improve deep discharge,long cycle life
- High quality AGM separator: extend cycle life and prevent micro short circuit
- The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)


Dimension

Unit:mm

330±2mm / 12.99inch Length Width 190±2mm / 7.48inch Container Height 250±2mm / 9.84inch **Total Height** 250±2mm / 9.84inch

















Application

- Electric tools or toys
- Electric Bicycle/Tricycle
- Golf trolleys and golf cart
- Patrol car
- Electric Sight-seeing Tour Bus
- Sweeper
- Wheelchairs
- Lawn mowers
- Illumination light

Terminal


Unit:mm

Terminal Type:

Ι7

Weight

45.5kg 100.31lbs



This document is subject to change without prior notification

| Motive Battery | |
|----------------|--|
|----------------|--|

Energy Storage Battery



■ Reserve Battery


■ Motorcycle Battery

TNE8-250


| Specification | | |
|--|-----------------|---|
| Nominal Voltage | | 8V |
| Nominal Capacity | | 250Ah |
| Rated Capacity (25°C) | C20(1.80V/cell) | 250Ah |
| | C10(1.80V/cell) | 230Ah |
| | C5(1.75V/cell) | 216.2Ah |
| Container Material | | ABS (Flame-retardant ABSUL94-V0 is optional) |
| Operating Temperature Range | Discharge | -20 ~ +50°C |
| | Charge | 0 ~ +40°C |
| | Storage | -15 ~ +40°C |
| Capacity Effected by Temperature | 40°C / 104°F | 106% |
| | 25°C / 77°F | 100% |
| | 0°C / 32°F | 86% |
| | -10°C / 14°F | 65% |
| Charge Method | | Please refer to the "Charge Characteristics (25°C)" below |
| Monthly Self Discharge | | <3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher |

Performance Curve







Cycle Lifes With Depth Of Discharge



Charge Characteristics (25°C)



Self-Discharge Characteristics



Fianneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd.